Physica C 180 (1991) 441–445
North-Holland

PHYSICA C

Author Index to Volume 180

Agarwal, S.K., O. Muller, J. Schubert and C. Schlenker, Effect of He^+ irradiation on the magnetic properties of superconducting $YBa_2Cu_3O_7$ thin films **180**, 203
Agostinelli, E., see P. Calvani **180**, 116
Agostinelli, E., D. Fiorani, A.M. Testa, L. Dimesso, M.G. Francescone and G. Calestani, Magnetic investigation of dissipative effects in Bi–Pb–Sr–Ca–Cu–O thick films **180**, 172
Agostinelli, J.A., S. Chen and G. Braunstein, A cubic phase in the Y–Ba–Cu–O system and heteroepitaxial orthorhombic/cubic thin film structures **180**, 26
Akoh, H., S. Kohjiro, C. Camerlingo, R. Yuasa and S. Takada, Anisotropic SNS Josephson junctions using epitaxial YBaCuO films **180**, 227
Alexander, K.B., D.M. Kroeger, J. Bentley and J. Brynestad, Grain boundary compositions in stoichiometric and off-stoichiometric $Y_1Ba_2Cu_3O_{7-x}$ **180**, 337
Alford, N.McN., see Y. Huang **180**, 267
Alvani, C., see C. Romeo **180**, 77
Andersen, J.N., see H. Bernhoff **180**, 120
Andrä, W., H. Bruchlos, T. Eick, R. Hergt, W. Michalke, W. Schüppel and K. Steenbeck, Critical current density and flux pinning determined by different methods **180**, 184
Andrä, W., J. Betz, B. Brunner, R. Hergt, H. Lengfellner, K.F. Renk and K. Steenbeck, Characterization of YBCO films by torque magnetometry **180**, 188
Andreone, A., C. Attanasio, A. di Chiara, L. Maritato, A. Nigro, G. Peluso and R. Vaglio, Characterization and microwave properties of electron-beam deposited BSCCO films **180**, 272
Andrzejak, C., see E. Sodtke **180**, 50
Arciprete, F., see A. Balzarotti **180**, 101
Arciprete, F., A. Balzarotti, N. Motta, F. Patella, A. Sgarlata and M. De Crescenzi, EELFS investigation of $YBa_2Cu_3O_{7-\delta}$ thin films and sintered samples **180**, 132
Askenazy, S., see J.-F. Bobo **180**, 168
Attanasio, C., see A. Andreone **180**, 272

Balestrino, G., M. Marinelli, E. Milani, A. Paoletti and P. Paroli, Effect of Ba, Ca and Pb on the *c*-lattice parameter of BSCCO films **180**, 46
Balestrino, G., see A.M. Cucolo **180**, 208
Balzarotti, A., F. Patella, F. Arciprete, N. Motta, A. Sgarlata and M. de Crescenzi, Interface formation between d metals and the $Bi_2Sr_2CaCu_2O_8$ surface **180**, 101
Balzarotti, A., see F. Arciprete **180**, 132
Bando, Y., T. Terashima, K. Shimura, T. Sato, Y. Matsuda, S. Komiyama, K. Kamigaki and H. Terauchi, RHEED study of crystal growth of high temperature superconducting oxides in reactive coevaporation **180**, 3
Barbanera, S., see C. Romeo **180**, 77
Baudenbacher, F., see G. Ockenfuß **180**, 30
Beddies, G., see H.-U. Habermeier **180**, 17
Beille, J., see M.A. Crusellas **180**, 313
Bentley, J., see K.B. Alexander **180**, 337
Berberich, P., see G. Ockenfuß **180**, 30
Bernhoff, H., M. Qvarford, S. Söderholm, A.S. Flodström, J.N. Andersen, R. Nyholm, U.O. Karlsson and I. Lindau, Electronic and structural properties of the Cu–$Bi_2CaSr_2Cu_2O_8$ interface **180**, 120
Betz, J., see W. Andrä **180**, 188
Bianconi, M., L. Correra, S. Nicoletti, R. Nipoti, M. Servidori, A. Lamagna and M. Sanchez Balmaseda, Structural characterization of superconducting $YBa_2Cu_3O_x$ films grown by pulsed laser ablation **180**, 94
Bobo, J.-F., J.-C. Ousset, S. Askenazy, H. Rakoto and J.-M. Broto, Evidence for two-dimensional conductivity in the normal state of GdBaCuO thin films **180**, 168
Boekema, C., see R.L. Lichti **180**, 358
Boffa, V., see C. Romeo **180**, 77
Bollanti, S., see C. Romeo **180**, 77
Bonaldi, M., see G. Jung **180**, 276
Borck, J., see M. Siegel **180**, 288
Brandt, E.H. and A. Sudbø, On the tilt modulus of the flux-line lattice in type-II superconductors **180**, 426
Braunstein, G., see J.A. Agostinelli **180**, 26
Brecht, E., see J. Geerk **180**, 11
Brecht, E., see R.L. Wang **180**, 65
Broto, J.-M., see J.-F. Bobo **180**, 168
Bruchlos, H., see W. Andrä **180**, 184
Brunner, B., see W. Andrä **180**, 188
Brynestad, J., see K.B. Alexander **180**, 337
Buder, R., see C. Schlenker **180**, 148

Cabañas, M.V., see M. Vallet-Regí **180**, 57
Cabanel, R., A. Schuhl, D.G. Créte, S. Tyč and M. Touzeau, In-situ control of fluxes by atomic absorption for layer by layer growth of HTSC **180**, 38
Cabanel, R., see S. Tyč **180**, 243
Calestani, G., see E. Agostinelli **180**, 172
Calvani, P., M. Capizzi, S. Lupi, P. Maselli and E. Agostinelli, High-T_c superconducting thin films: an analysis of reflectance spectra **180**, 116
Camerlingo, C., see H. Akoh **180**, 227
Capizzi, M., see P. Calvani **180**, 116
Castrucci, P., see C. Romeo **180**, 77
Chaloupka, H. and G. Müller, Applications of HTSC thin films with low microwave losses to linear devices **180**, 259
Chen, S., see J.A. Agostinelli **180**, 26
Chen, T.G., see C.J. Zhou **180**, 365

Cherpak, N.T., E.V. Izhik, A.Ya. Kirichenko, A.V. Velichko, I.N. Chukanova and A.I. Usoskin, Microwave and radiofrequency properties of high-T_c thin films **180**, 280
Chew, N.G., see J.S. Satchell **180**, 247
Chistyakov, S.V., see O.A. Mironov **180**, 196
Chu, C.W., see Z.J. Huang **180**, 331
Chukanova, I.N., see N.T. Cherpak **180**, 280
Cikmach, P., A. Fontana, C. Giovannella, M. Iannuzzi and R. Messi, Magnetic detection of optical excitations: preliminary results on YBCO thin films **180**, 160
Cooke, D.W., see R.L. Lichti **180**, 358
Correra, L., see M. Bianconi **180**, 94
Cox, S.F.J., see R.L. Lichti **180**, 358
Crété, D.G., see R. Cabanel **180**, 38
Crow, J.E., see R.L. Lichti **180**, 358
Crusellas, M.A., J. Fontcuberta, S. Piñol, T. Grenet and J. Beille, Temperature dependence of the resistivity and its anisotropy in n-type $Nd_{1.85}Ce_{0.15}CuO_4$ single crystal **180**, 313
Cucolo, A.M., R. Di Leo, P. Romano and G. Balestrino, Electron tunneling into BiSrCaCuO **180**, 208

Datars, W.R., see P.K. Ummat **180**, 407
Davidov, D., see M. Golosovsky **180**, 164
De Crescenzi, M., see A. Balzarotti **180**, 101
De Crescenzi, M., see F. Arciprete **180**, 132
Delabouglise, G., see M. Vallet-Regí **180**, 57
De Luca, R., see S. Pace **180**, 176
Di Chiara, A., see A. Andreone **180**, 272
Di Leo, R., see A.M. Cucolo **180**, 208
Dimesso, L., see E. Agostinelli **180**, 172
Dortmann, G., J. Erxmeyer and A. Weidinger, Preparation of $Y_2Ba_4Cu_8O_{16}$ thin films by electron-beam evaporation and the effect of hydrogen charging **180**, 54
Dou, S.X., see J. Wang **180**, 307
Dragon, T., see A. Forkl **180**, 155
Dumas, J., see S. Revenaz **180**, 180

Edwards, J.A., see J.S. Satchell **180**, 247
Eibl, O., see H. Schmidt **180**, 34
Eick, T., see W. Andrä **180**, 184
Erxmeyer, J., see G. Dortmann **180**, 54

Fang, H.H., see Z.J. Huang **180**, 331
Fastampa, R., see M. Giura **180**, 212
Fedorenko, A.I., see O.A. Mironov **180**, 196
Fick, J., see O. Thomas **180**, 42
Fiorani, D., see E. Agostinelli **180**, 172
Flodström, A.S., see H. Bernhoff **180**, 120
Fontana, A., see P. Cikmach **180**, 160
Fontcuberta, J., see M.A. Crusellas **180**, 313
Forkl, A., H.-U. Habermeier, B. Leibold, T. Dragon and H. Kronmüller, A new calibration technique for the determination of magnetic flux density with the magneto-optical Faraday effect **180**, 155
Francescone, M.G., see E. Agostinelli **180**, 172
Franse, J.J.M., see J.N. Li **180**, 411
Freltoft, T., see P. Vase **180**, 90
Frenkel, A., High-temperature superconducting thin films as broadband optical detectors **180**, 251

Galkin, S.G., see A.A. Ivanov **180**, 69
García, E., see M. Vallet-Regí **180**, 57
Geerk, J., G. Linker, O. Meyer, F. Ratzel, J. Reiner, J. Remmel, T. Kröner, R. Henn, S. Massing, E. Brecht, B. Strehlau, R. Smithey, R.L. Wang, F. Wang, M. Siegel, C. Ritschel and B. Rauschenbach, Systematic studies of HTSC thin film growth by ICM-sputtering **180**, 11
Geerk, J., see R.L. Wang **180**, 65
Gerber, A., see S. Revenaz **180**, 180
Germi, P., see O. Thomas **180**, 42
Ghyselen, B., see S. Tyč **180**, 243
Gieres, G., see H. Schmidt **180**, 34
Giovannella, C., see P. Cikmach **180**, 160
Giura, M., R. Fastampa, R. Marcon and E. Silva, Critical field for the onset of the dissipation and 2-D behavior in Bi–Sr–Ca--Cu–O **180**, 212
Golosovsky, M., Y. Naveh and D. Davidov, Anisotropic viscous flux motion in high-T_c superconducting films **180**, 164
González, M.A., P. Prieto, D. Oyola and J.L. Vicent, Temperature and magnetic field dependence of the Hall effect in the mixed state of $HoBa_2Cu_3O_{7-x}$ HTSC thin films **180**, 220
González-Calbet, J.M., see M. Vallet-Regí **180**, 57
Goodyear, S.W., see J.S. Satchell **180**, 247
Gopalakrishnan, I.K., see R.A. Gunasekaran **180**, 324
Gougeon, P., see M. Saint-Paul **180**, 394
Gray, K.E. and D.H. Kim, Flux pinning and dissipation in high-temperature superconductors **180**, 139
Greaves, C., see P.R. Slater **180**, 299
Grenet, T., see M.A. Crusellas **180**, 313
Gross, R. and B. Mayer, Transport processes and noise in $YBa_2Cu_3O_{7-\delta}$ grain boundary junctions **180**, 235
Guggi, D., see E. Sodtke **180**, 50
Gunasekaran, R.A., I.K. Gopalakrishnan, J.V. Yakhmi, R.M. Iyer, C.V. Tomy and S.K. Malik, Effect of partial substitution of Ni and Zn for Cu in $CaBaLaCu_3O_{7-\delta}$ superconductor **180**, 324
Guyot, H., Influence of the oxygen content on the electronic structure of the HTSC $YBa_2Cu_3O_{7-\delta}$ **180**, 108

Habermeier, H.-U., G. Beddies, B. Leibold, G. Lu and G. Wagner, Y–Ba–Cu–O high temperature superconductor thin film preparation by pulsed laser deposition and RF sputtering: a comparative study **180**, 17
Habermeier, H.-U., see F.S. Razavi **180**, 81
Habermeier, H.-U., see D. van der Marel **180**, 112
Habermeier, H.-U., see A. Forkl **180**, 155
Heinz, E., see P. Seidel **180**, 284
Heinz, E., see M. Siegel **180**, 288
Heitmann, D., see D. van der Marel **180**, 112
Henn, R., see J. Geerk **180**, 11
Hergt, R., see W. Andrä **180**, 184, 188

Hinkel, V., see F. Ludwig **180**, 85
Hirata, K., see G. Ockenfuß **180**, 30
Hor, P.H., see Z.J. Huang **180**, 331
Hösler, W., see H. Schmidt **180**, 34
Hradil, K., see H. Schmidt **180**, 34
Huang, Y., M.J. Lancaster, T.S.M. Maclean, Z. Wu and N.McN. Alford, A high-temperature superconductor superdirectional antenna array **180**, 267
Huang, Z.J., H.H. Fang, Y.Y. Xue, P.H. Hor, C.W. Chu, M.L. Norton and H.Y. Tang, Study of the magnetic properties of single-crystal $Ba_{0.6}K_{0.4}BiO_3$ **180**, 331
Hubert, L., see O. Thomas **180**, 42
Hudner, J., see H. Ohlsén **180**, 73
Humphreys, R.G., see J.S. Satchell **180**, 247
Huong, P.V., Microstructure of high temperature superconductor thin films as studied by micro-Raman spectroscopy **180**, 128

Iannuzzi, M., see P. Cikmach **180**, 160
Ingold, M., see O. Thomas **180**, 42
Ivanov, A.A., S.G. Galkin, A.V. Kuznetsov and A.P. Menushenkov, Smooth homogeneous HTSC thin films produced by laser deposition with flux separation **180**, 69
Iyer, R.M., see R.A. Gunasekaran **180**, 324
Izhik, E.V., see N.T. Cherpak **180**, 280

Jansak, L., see S. Zannella **180**, 373
Jung, G., J. Konopka and B. Solek, Magnetoresistance quantization in high-T_c thin films radiating microwaves **180**, 192
Jung, G., M. Bonaldi, S. Vitale and J. Konopka, On the origin of low-frequency noise in HTSC thin films **180**, 276

Kamigaki, K., see Y. Bando **180**, 3
Kaplan, M.D., Symmetrical aspects of the cooperative pseudo Jahn–Teller effect in high-T_c superconductors **180**, 351
Karlsson, U.O., see H. Bernhoff **180**, 120
Kasatkin, A.L., see V.M. Pan **180**, 199
Kataria, N.D., D. May, H. Wolf, R. Schneider and J. Niemeyer, Preparation, transport properties and patterning of superconducting YBCO thin films **180**, 61
Keene, M.N., see J.S. Satchell **180**, 247
Kim, D.H., see K.E. Gray **180**, 139
Kinder, H., see G. Ockenfuß **180**, 30
Kirichenko, A.Ya., see N.T. Cherpak **180**, 280
Koch, H., see F. Ludwig **180**, 85
Kohjiro, S., see H. Akoh **180**, 227
Kolesnik, S.P., see O.A. Mironov **180**, 196
Komiyama, S., see Y. Bando **180**, 3
Konchits, A.A., see O.A. Mironov **180**, 196
Konopka, J., see G. Jung **180**, 192, 276
Kroeger, D.M., see K.B. Alexander **180**, 337
Kröner, T., see J. Geerk **180**, 11
Kronmüller, H., see A. Forkl **180**, 155
Kuznetsov, A.V., see A.A. Ivanov **180**, 69

Labeau, M., see M. Vallet-Regí **180**, 57
Labrize, F., see O. Thomas **180**, 42
Lam, J.C., see R.L. Lichti **180**, 358
Lamagna, A., see M. Bianconi **180**, 94
Lancaster, M.J., see Y. Huang **180**, 267
Larsson, T., see H. Ohlsén **180**, 73
Lee, D., see S. Zannella **180**, 373
Leibold, B., see H.-U. Habermeier **180**, 17
Leibold, B., see A. Forkl **180**, 155
Lengfellner, H., see W. Andrä **180**, 188
Leoni, R., see C. Romeo **180**, 77
Levet, J.C., see M. Saint-Paul **180**, 394
Li, J.N., Z. Tarnawski and J.J.M. Franse, Angle-dependent broadening and anomalies of the resistivity transition in $YBa_2Cu_3O_7$ single crystal **180**, 411
Lichti, R.L., C. Boekema, J.C. Lam, D.W. Cooke, S.F.J. Cox, S.T. Ting and J.E. Crow, Disruption of antiferromagnetic order in Zn-doped La_2CuO_4 **180**, 358
Lindau, I., see H. Bernhoff **180**, 120
Linker, G., see J. Geerk **180**, 11
Linker, G., see R.L. Wang **180**, 65
Liu, C.J., see C. Schlenker **180**, 148
Liu, H.K., see J. Wang **180**, 307
Lu, G., see H.-U. Habermeier **180**, 17
Ludwig, F., V. Hinkel, T. Schurig, J.-P. Müller, U. Stösslein, H.-U. Müller and H. Koch, Preparation of YBCO thin films by means of a hollow cathode discharge sputtering device **180**, 85
Lupi, S., see P. Calvani **180**, 116

Maclean, T.S.M., see Y. Huang **180**, 267
Madar, R., see O. Thomas **180**, 42
Malik, S.K., see R.A. Gunasekaran **180**, 324
Marcon, R., see M. Giura **180**, 212
Marinelli, M., see G. Balestrino **180**, 46
Maritato, L., see A. Andreone **180**, 272
Maselli, P., see P. Calvani **180**, 116
Massing, S., see J. Geerk **180**, 11
Matsuda, Y., see Y. Bando **180**, 3
Matthews, D.N., see J. Wang **180**, 307
May, D., see N.D. Kataria **180**, 61
Mayer, B., see R. Gross **180**, 235
Menushenkov, A.P., see A.A. Ivanov **180**, 69
Messi, R., see P. Cikmach **180**, 160
Meyer, O., see J. Geerk **180**, 11
Meyer, O., see R.L. Wang **180**, 65
Michalke, W., see W. Andrä **180**, 184
Michalke, W., see M. Siegel **180**, 288
Milani, E., see G. Balestrino **180**, 46
Mironov, O.A., S.V. Chistyakov, I.M. Zaritskii, A.A. Konchits, S.P. Kolesnik, V.A. Stephanovich, A.Yu. Sipatov and A.I. Fedorenko, The nature of magnetic field hysteretic microwave absorption in the HTSC thin films and HTSC models epitaxial superlattices PbTe–PbS **180**, 196
Mossang, E., see O. Thomas **180**, 42
Motta, N., see A. Balzarotti **180**, 101
Motta, N., see F. Arciprete **180**, 132
Müller, G., see H. Chaloupka **180**, 259

Müller, H.-U., see F. Ludwig **180**, 85
Müller, J.-P., see F. Ludwig **180**, 85
Muller, O., see S.K. Agarwal **180**, 203
Murtas, F., see C. Romeo **180**, 77

Naveh, Y., see M. Golosovsky **180**, 164
Nicoletti, S., see M. Bianconi **180**, 94
Niemeyer, J., see N.D. Kataria **180**, 61
Nigro, A., see A. Andreone **180**, 272
Nipoti, R., see M. Bianconi **180**, 94
Nkum, R.K., see P.K. Ummat **180**, 407
Noël, H., see M. Saint-Paul **180**, 394
Nordblad, P., see H. Ohlsén **180**, 73
Norton, M.L., see Z.J. Huang **180**, 331
Nyholm, R., see H. Bernhoff **180**, 120

Ockenfuß, G., F. Baudenbacher, W. Prusseit-Elffroth, K. Hirata, P. Berberich and H. Kinder, Preparation and growth of YSZ buffer layers and $YBa_2Cu_3O_7$ films on silicon (100) **180**, 30
Ohlsén, H., J. Hudner, L. Stolt, P. Nordblad and T. Larsson, Thin films of Y–Ba–Cu–O prepared on low loss substrates **180**, 73
Ousset, J.-C., see J.-F. Bobo **180**, 168
Oyola, D., see M.A. González **180**, 220

Pace, S. and R. de Luca, Penetration depth of high-T_c granular superconductors in the low-field reversible regime **180**, 176
Pan, V.M., V.G. Prokhorov, A.L. Kasatkin and C.G. Tretiatchenko, Influence of planar defects on mixed state dynamics of high-T_c epitaxial films **180**, 199
Paoletti, A., see G. Balestrino **180**, 46
Paroli, P., see G. Balestrino **180**, 46
Patella, F., see A. Balzarotti **180**, 101
Patella, F., see F. Arciprete **180**, 132
Paterno, G., see C. Romeo **180**, 77
Peluso, G., see A. Andreone **180**, 272
Penna, M., see C. Romeo **180**, 77
Pernet, M., see O. Thomas **180**, 42
Piñol, S., see M.A. Crusellas **180**, 313
Potel, M., see M. Saint-Paul **180**, 394
Prieto, P., see M.A. González **180**, 220
Prokhorov, V.G., see V.M. Pan **180**, 199
Prusseit-Elffroth, W., see G. Ockenfuß **180**, 30

Qvarford, M., see H. Bernhoff **180**, 120

Rakoto, H., see J.-F. Bobo **180**, 168
Ratzel, F., see J. Geerk **180**, 11
Rauschenbach, B., see J. Geerk **180**, 11
Razavi, F.S. and H.-U. Habermeier, Preparation of thin films of BiPbSrCaCuO using the laser deposition technique **180**, 81
Reiner, J., see J. Geerk **180**, 11
Reiner, J., see R.L. Wang **180**, 65
Remmel, J., see J. Geerk **180**, 11
Remmel, J., see R.L. Wang **180**, 65
Renk, K.F., see W. Andrä **180**, 188
Revenaz, S., J. Dumas and A. Gerber, Harmonic generation by field modulation of the microwave absorption of $YBa_2Cu_3O_7$ and granular lead thin films **180**, 180
Rink, W.J., see J.B. Schlenoff **180**, 387
Ritschel, C., see J. Geerk **180**, 11
Romano, P., see A.M. Cucolo **180**, 208
Romeo, C., V. Boffa, S. Bollanti, G. Paterno, C. Alvani, M. Penna, S. Barbanera, P. Castrucci, R. Leoni and F. Murtas, Superconducting properties of Y–Ba–Cu–O thin films grown in situ by laser ablation **180**, 77
Russell, G.J., see J. Wang **180**, 307

Saint-Paul, M., H. Noël, J.C. Levet, M. Potel and P. Gougeon, Magnetic field dependence of ultrasound velocity in $YBaCu_3O_7$ single crystals **180**, 394
Salama, K., see S. Zannella **180**, 373
Samoilov, A.V., see N.V. Zavaritsky **180**, 417
Sanchez Balmaseda, M., see M. Bianconi **180**, 94
Satchell, J.S., R.G. Humphreys, N.G. Chew, S.W. Goodyear, J.A. Edwards and M.N. Keene, Strongly coupled high-T_c edge junctions **180**, 247
Sato, T., see Y. Bando **180**, 3
Saul, A., see M. Weissmann **180**, 381
Schlenker, C., C.J. Liu, R. Buder, J. Schubert and B. Stritzker, Magnetic properties and critical currents in $YBa_2Cu_3O_7$ thin films **180**, 148
Schlenker, C., see S.K. Agarwal **180**, 203
Schlenoff, J.B., W.J. Rink and L. Seger, Electrochemical reduction of $Bi_2Sr_2Ca_1Cu_2O_8$ superconductor single crystals **180**, 387
Schmidl, F., see M. Siegel **180**, 288
Schmidt, H., K. Hradil, G. Gieres, W. Hösler and O. Eibl, Sputtered $YBa_2Cu_3O_y$ thin films on sapphire and silicon substrates using yttria stabilized ZrO_2 buffer layers **180**, 34
Schneider, R., see N.D. Kataria **180**, 61
Schneider, U., Analysis of high-T_c superconducting thin films by means of secondary neutral mass spectrometry **180**, 124
Schubert, J., see C. Schlenker **180**, 148
Schubert, J., see S.K. Agarwal **180**, 203
Schuhl, A., see R. Cabanel **180**, 38
Schuhl, A., see S. Tyč **180**, 243
Schüppel, W., see W. Andrä **180**, 184
Schurig, T., see F. Ludwig **180**, 85
Seger, L., see J.B. Schlenoff **180**, 387
Seidel, P., M. Siegel and E. Heinz, Microwave-induced steps in high-T_c Josephson junctions **180**, 284
Seidel, P., see M. Siegel **180**, 288
Senateur, J.P., see O. Thomas **180**, 42
Servidori, M., see M. Bianconi **180**, 94
Setty, A.K. and K.K. Singh, Exact treatment of some phenomenological models of layered high-T_c superconductors **180**, 401
Sgarlata, A., see A. Balzarotti **180**, 101
Sgarlata, A., see F. Arciprete **180**, 132
Shen, Y.Q., see P. Vase **180**, 90

Shimura, K., see Y. Bando **180**, 3
Siegel, M., see J. Geerk **180**, 11
Siegel, M., see P. Seidel **180**, 284
Siegel, M., F. Schmidl, K. Zach, E. Heinz, J. Borck, W. Michalke and P. Seidel, Noise properties of DC-SQUIDs on $Y_1Ba_2Cu_3O_{7-x}$ thin films **180**, 288
Silva, E., see M. Giura **180**, 212
Singh, K.K., see A.K. Setty **180**, 401
Sipatov, A.Yu., see O.A. Mironov **180**, 196
Slater, P.R. and C. Greaves, Synthesis and structural characterisation of $YSr_2Cu_{3-x}M_xO_{7+y}$ ($M=Fe,Ti,Al,Co,Ga,Pb$; $0.5<x<1$), and the non-existence of the parent phase $YSr_2Cu_3O_7$ **180**, 299
Smithey, R., see J. Geerk **180**, 11
Söderholm, S., see H. Bernhoff **180**, 120
Sodtke, E., C. Andrzejak, D. Guggi and Y. Xu, Preparation of *a*-axis oriented $YBa_2Cu_3O_7$ and $PrBa_2Cu_{3-x}Ga_xO_7$ thin films **180**, 50
Solek, B., see G. Jung **180**, 192
Steenbeck, K., see W. Andrä **180**, 184, 188
Stephanovich, V.A., see O.A. Mironov **180**, 196
Stolt, L., see H. Ohlsén **180**, 73
Stösslein, U., see F. Ludwig **180**, 85
Strehlau, B., see J. Geerk **180**, 11
Stritzker, B., see C. Schlenker **180**, 148
Sudbø, A., see E.H. Brandt **180**, 426

Takada, S., see H. Akoh **180**, 227
Tang, H.Y., see Z.J. Huang **180**, 331
Tao, D.L., see C.J. Zhou **180**, 365
Tarnawski, Z., see J.N. Li **180**, 411
Taylor, K.N.R., see J. Wang **180**, 307
Terashima, T., see Y. Bando **180**, 3
Terauchi, H., see Y. Bando **180**, 3
Testa, A.M., see E. Agostinelli **180**, 172
Thomas, O., E. Mossang, J. Fick, F. Weiss, R. Madar, J.P. Senateur, M. Ingold, P. Germi, M. Pernet, F. Labrize and L. Hubert, Structure and morphology of $YBa_2Cu_3O_{7-x}$ LPCVD layers **180**, 42
Ting, S.T., see R.L. Lichti **180**, 358
Tomy, C.V., see R.A. Gunasekaran **180**, 324
Touzeau, M., see R. Cabanel **180**, 38
Tretiatchenko, C.G., see V.M. Pan **180**, 199
Tyč, S., see R. Cabanel **180**, 38
Tyč, S., A. Schuhl, B. Ghyselen and R. Cabanel, Proximity effect in DyBaCuO/Ag bilayers as seen by lateral current measurements **180**, 243

Ummat, P.K., R.K. Nkum and W.R. Datars, The effect of gallium substitution on the superconductivity of the BiSrCaCuO system **180**, 407
Usoskin, A.I., see N.T. Cherpak **180**, 280

Vaglio, R., see A. Andreone **180**, 272
Vallet-Regí, M., M. Labeau, E. García, M.V. Cabañas, J.M. González-Calbet and G. Delabouglise, Thin films of magnesium oxide by modified CVD: a buffer layer for HTSC films **180**, 57
Van der Marel, D., A. Wittlin, H.-U. Habermeier and D. Heitmann, Non-BCS behaviour of the superconducting order parameter in $YBa_2Cu_3O_7$ studied with infrared spectroscopy **180**, 112
Vase, P., Y.Q. Shen and T. Freltoft, Magnetic and electrical characterization of $YBa_2Cu_3O_7$ thin films made by laser ablation **180**, 90
Velichko, A.V., see N.T. Cherpak **180**, 280
Vicent, J.L., see M.A. González **180**, 220
Vitale, S., see G. Jung **180**, 276

Wagner, G., see H.-U. Habermeier **180**, 17
Wang, F., see J. Geerk **180**, 11
Wang, J., K.N.R. Taylor, D.N. Matthews, H.K. Liu, G.J. Russell and S.X. Dou, Magnetoresistance relaxation and flux creep in high-T_c superconductors **180**, 307
Wang, R.L., see J. Geerk **180**, 11
Wang, R.L., J. Reiner, J. Remmel, E. Brecht, J. Geerk, O. Meyer and G. Linker, Growth characterization of a-axis oriented "1–2–3" films **180**, 65
Weidinger, A., see G. Dortmann **180**, 54
Weiss, F., see O. Thomas **180**, 42
Weissmann, M. and A. Saul, Alloy model for high-temperature superconductors **180**, 381
Wittlin, A., see D. van der Marel **180**, 112
Wolf, H., see N.D. Kataria **180**, 61
Wu, Z., see Y. Huang **180**, 267

Xu, Y., see E. Sodtke **180**, 50
Xue, Y.Y., see Z.J. Huang **180**, 331

Yakhmi, J.V., see R.A. Gunasekaran **180**, 324
Yuasa, R., see H. Akoh **180**, 227
Yurgens, A.A., see N.V. Zavaritsky **180**, 417

Zach, K., see M. Siegel **180**, 288
Zagrodzinski, J., The Josephson junction array as a model of HTSC granular medium **180**, 216
Zannella, S., L. Jansak, D. Lee and K. Salama, AC losses of $YBa_2Cu_3O_{7-x}$ high temperature superconductors **180**, 373
Zaritskii, I.M., see O.A. Mironov **180**, 196
Zavaritsky, N.V., A.V. Samoilov and A.A. Yurgens, Transport coefficients and flux motion in $Bi_2Sr_2CaCu_2O_x$ single crystals **180**, 417
Zhou, C.J., D.L. Tao and T.G. Chen, Effect of oxygen on superconductivity and structure of Bi-system superconductor **180**, 365

Physica C 180 (1991) 447–448
North-Holland

PHYSICA C

Analytic Subject Index to Volume 180

1/f noise 276

2-dimensional system 168

3D–2D crossover 139

a-axis orientation 50, 65
AC Josephson effect 284
AC susceptibility 160, 324, 373
Alloy model 381
Anisotropic superconductor 313, 426
Anisotropy 128, 164, 227
Antenna array 267
Antennas 259
Antiferromagnetic order 358
Atomic absorption 38
Atomic layer epitaxy 38
Auger 132

BaF_2 54
Bolometric effect 251
Buffer layers 11

Channeling 65
Chemical etching 61
Chemical vapor deposition 42
Coevaporation 73
Conductivity 259
Critical current 90, 148, 184
Critical current density 155, 203
Critical field 212
Critical state model 373
Crossover 212
Cu–O planes 381, 401

DC-SQUIDs 288
Dissipation 139
Dissipative effects 172
Dynamics 216

Edge junctions 247
EELS 132
Electrical resistivity 324, 365, 407, 411, 417
–of $Nd_{1.85}Ce_{0.15}CuO_4$ 313
Electron beam deposition 272
Electron beam evaporation 54
Electron-doped superconductor 313
Electronic charging 54
Electronic structure 351, 381
Epitaxial yttria-stabilized ZrO_2 17
Erosion plasma flux screening 69

Flux creep 199, 307, 411
Flux dynamics 331, 394, 411, 417, 426
Flux flow 199
Flux flow viscosity 192, 247
Flux lattice 426
Flux motion 164
Flux pinning 139, 155, 184
Fraunhofer pattern 227, 247

Gallium substitution 50
Ginzburg–Landau theory 401
Grain alignment (texturing) 373
Grain boundaries 337
Grain boundary 235
Granular superconductivity 307, 337

Hall effect 220, 417
Hollow cathode sputtering 85
Homogeneity 85
Hysteretic absorption 196

ICM-sputtering 11
Infrared spectroscopy 112, 387
In-situ BISCO growth 81
Interface 101, 120
Intrinsic Josephson junctions 192
Intrinsic junctions 276
Ion induced defects 203
Itinerant magnetism 112

Jahn–Teller effect 351
Josephson effect 284
Josephson junction array 216
Josephson junctions 227

Large area sputtering 17
Large area thin films 85
Laser ablation 69, 77, 81, 90, 94
Linear devices 259
Liquid phase epitaxy 46
Long junctions 247
Low-loss substrates 73

Magnetic properties 148
Magnetic relaxation 172, 331
Magnetic susceptibility 407
Magnetization 203
–of $Ba_{0.6}K_{0.4}BiO_3$ 331
Magnetization curves 155
Magnetoresistance 168, 307, 411
MDOE 160
Metal–insulator transition 387
MgO buffer layers 57
Micro-Raman spectroscopy 128
Microstrip line 259
Microwave absorption 180, 196
Microwave losses 259
Microwave properties 272
Microwave radiation 192
Microwaves 267, 280
Microwave transmission 164
Molecular beam epitaxy 38
Morphology 42
Multilayers 401
Muon spin rotation
–in La_2CuO_4 358

Nernst effect 417
Neutron diffraction 299
NEXAFS 120
Noise 235, 288
Non-bolometric effect 251

Optical detectors 251
Optical excitation 160
Optical reflectivity 387
Oxygen content 108, 128
Oxygen stoichiometry
–in $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ 365
Oxygen termination 30
Oxygen vacancies 108

Penetration depth 176, 280
Photoelectron spectroscopy 120
Pinning energy 203
Pinning force 172, 188
Proxymity effect 243
Pulsed laser deposition 17
Pyrosol method 57

Radiofrequencies 280
Raman spectroscopy 50
Reactive evaporation 3
Reflectivity 116

Resistive behaviour 199
Resistivity 212
RHEED 3
RJS 288
Rotational hysteresis losses 188
RSJ model 284

Sapphire substrate 34
Shapiro steps 284
Silicon substrate 34
SNMS 124
Solitons 216
Specific heat at T_c 401
SQUIDs 276
Structural phase transition 351
Structure 94, 124
–of $YSr_2Cu_{3-x}M_xO_{7\pm y}$ 299
Substitution effects
–in BiSrCaCuO by Ga 407
–in $CaBaLaCu_3O_{7-\delta}$ 324
–in La_2CuO_4 358
Substitutions 46
Superconducting gap 208
Superconducting order parameter 112
Superconductive superlattices 196
Superlattices 3
Surface impedance 259
Synthesis
–of $Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$ 365
–of $YSr_2Cu_{3-x}M_xO_{7\pm y}$ 299

Texture 42
Thermal evaporation 30
Thermoelectric effects
–in $Bi_2Sr_2CaCu_2O_x$ 417
Thin-film growth 77
Thin films 387
Torque magnetometry 188
Transition metals 101
Transport measurements 243
Transport properties 61, 235
Tunneling 387
Tunneling junction 208

Ultrasound attenuation 394
Ultrasound velocity 394
Ultrathin films 3

Vortex depinning 220
Vortex pinning 203

Weak links 337, 373

XPS 108
X-ray photoemission 101
X-ray pole figures 50

YSZ buffer layers 30

ZrO_2 buffer layers 34

Physica C 180 (1991) 449
North-Holland

PHYSICA C

Materials Index to Volume 180

$Ba_{0.6}K_{0.4}BiO_3$
–magnetization 331
$Bi_{1.6}Pb_{0.4}Sr_2Ca_2Cu_3O_{10+\delta}$
–oxygen stoichiometry 365
–synthesis 365
$Bi_2Sr_2CaCu_2O_x$
–thermoelectric effects 417
BiSrCaCuO
–substitution effects 407

$CaBaLaCu_3O_{7-\delta}$
–substitution effects 324

La_2CuO_4
–muon spin rotation 358
–substitution effects 358

$Nd_{1.85}Ce_{0.15}CuO_4$
–electrical resistivity 313

$YSr_2Cu_{3-x}M_xO_{7\pm y}$
–structure 299
–synthesis 299